

Note: In this problem set, expressions in green cells match corresponding expressions in the text answers.

```
Clear["Global`*"]
```

1 - 8 Regions of practical interest

Determine and sketch or graph the sets in the complex plane given by

$$1. \text{Abs}[z + 1 - 5i] \leq \frac{3}{2}$$

This problem refers to construction of a closed set in the complex plane, according to the description on p. 619 of the text. It is a “Closed Circular Disk” that I want to build of radius  $\rho$  and center  $\mathbf{a}$ , with the formula  $|z - \mathbf{a}| \leq \rho$ , and in which  $\mathbf{a}$  is a complex number with its real part describing the x-coordinate of the center, and the imaginary part describing the y-coordinate.

$$\text{Abs}[z - \mathbf{a}] \leq \rho$$


$$\text{Abs}[-\mathbf{a} + z] \leq \rho$$

$$\text{Solve}[1 - 5i == -\mathbf{a}, \mathbf{a}]$$

$$\{\{\mathbf{a} \rightarrow -1 + 5i\}\}$$

Giving me  $x=-1$ ,  $y=5$ , and  $\rho=3/2$ .

```
RegionPlot[(x + 1)^2 + (y - 5)^2 <= (3 / 2)^2, {x, -7, 1}, {y, -1, 7},  
Axes -> True, Frame -> False, PlotStyle -> White, AxesLabel -> {"Re", "i"},  
ImageSize -> 250, Epilog -> {{PointSize[0.014], Point[{-1, 5}]},  
{Red, Line[{{-1, 5}, {-2.5, 5}]}},  
{Text["3/2", {-3, 5}], {Text["-1,5", {-0.6, 4.8}]}}]
```



$$3. \pi < \text{Abs}[z - 4 + 2i] < 3\pi$$

```
Clear["Global`*"]
```


```
Abs[z - a] ≤ ρ
```

```
Solve[-4 + 2 i == -a, a]
```

```
{{a → 4 - 2 i}}
```

Giving me  $x=4, y=-2$ , and an annulus between radius  $\rho=\pi$  and  $\rho=3\pi$

```
Graphics[{{Dashed, Circle[{4, -2}, 3 π]}, {Dashed, Circle[{4, -2}, π]},
  {Point[{4, -2}]}, {Red, Line[{{4, -2}, {4 + 3 π, -2}}]},
  {Text["3 π", {12, -3}]}, {Text["4,-2", {5, -3}]},
  {Red, Line[{{4, -2}, {4, -2 + π}}]}, {Text["π", {4, 2}]}},
  Axes → True, ImageSize → 200, AxesLabel → {"Re", "i"}]
```



Plot construction using **Graphics** commands instead of **RegionPlot** is a little shorter, and also a little easier. The dashed circles represent open sets.

$$5. \text{Abs}[\text{Arg}[z]] < \frac{1}{4}\pi$$

```
Clear["Global`*"]
```

```
Abs[z - a] ≤ ρ
```


```
Abs[-a + z] ≤ ρ
```

```
Solve[0 - Arg[z] == -a, a]
```

```
{{a → Arg[z]}}
```

Giving me  $x=0, y=\text{Arg}[z]$ , and  $\rho = \frac{\pi}{4}$

```
Plot[{x, -x}, {x, 0, 2}, ImageSize → 150, AspectRatio → 1.7,
PlotStyle → {{Dashed, Blue}, {Dashed, Blue}},
Filling → Axis, AxesLabel → {"Re", "i"}]
```



This plot should be considered as that of a quarter circle of infinite radius, centered on the origin, with open boundaries.


7.  $\text{Re}[z] \geq -1$

```
Clear["Global`*"]
```

```
Abs[z - a] ≤ ρ
```

```
Abs[-a + z] ≤ ρ
```

```
Graphics[{{Dashed, Blue, Thick, Line[{{-1, -2}, {-1, 2}}]},
{LightBlue, Rectangle[{-1, -2}, {2, 2}}]},
Axes → True, ImageSize → 200, AxesLabel → {"Re", "i"}]
```



I'm not really sure how to do the above with an equation. I see it as an infinite open semi-circle centered at -1,0.

The real part of  $z$  is equal to or greater than  $-1$ , and  $\text{Arg}[z]$  is unrestricted.

10 - 12 Complex functions and their derivatives

Function values. Find  $\text{Re}[f]$  and  $\text{Im}[f]$  and their values at the given point  $z$ .

$$11. f[z_] = \frac{1}{1-z} \text{ at } 1 - i$$

```
Clear["Global`*"]
```

$$f[z_] = \frac{1}{1-z}$$

$$\frac{1}{1-z}$$

```
dek = f[1 - i]
```

$-i$

Or expressed as  $0 - 1(i)$ . The yellow cell is not given in the text answer, though I believe it satisfies the problem requirement.

14 - 17 Continuity. Find out, and give reason, whether  $f(z)$  is continuous at  $z=0$  if  $f(0)=0$  and for  $z \neq 0$  the function is equal to:

$$15. \text{Abs}[z]^2 \text{Im}\left[\frac{1}{z}\right]$$

```
Clear["Global`*"]
```

$$f[z_] = \text{Abs}[z]^2 \text{Im}\left[\frac{1}{z}\right]$$

$$\text{Abs}[z]^2 \text{Im}\left[\frac{1}{z}\right]$$

```
Limit[f[z], z -> 0]
```

0

Mathematica did not cite difficulties in performing the above limit, so I will take the result as positive. The answers in the text give the reasons.

$$17. \frac{\text{Re}[z]}{1 - \text{Abs}[z]}$$

```
Clear["Global`*"]
```

$$f[z] = \frac{\operatorname{Re}[z]}{1 - \operatorname{Abs}[z]}$$

$$\frac{\operatorname{Re}[z]}{1 - \operatorname{Abs}[z]}$$

```
Limit[f[z], z -> 0]
```

0

Again, the limit maneuver did not involve a snag. The answers in the text give the reasons.

18 - 23 Differentiation. Find the value of the derivative of

19.  $(z - 4i)^8$  at  $3 + 4i$

```
Clear["Global`*"]
```

```
f[z_] = (z - 4 i)^8
(-4 i + z)^8
```

```
dif = D[f[z], z]
```

```
8 (-4 i + z)^7
```

```
dif1 = dif /. z -> (3 + 4 i)
```

17 496

21.  $i(1 - z)^n$  at 0

```
Clear["Global`*"]
```

```
f[z] = i (1 - z)^n
i (1 - z)^n
```

```
der = D[f[z], z]
```

```
-i n (1 - z)^{-1+n}
```

```
der1 = der /. z -> (0)
```

-i n

The above yellow cell does not agree with the text answer ( $n * i$ ). However, I ran the problem in Symbolab, and Symbolab agreed with Mathematica's solution.

23.  $\frac{z^3}{(z + i)^3}$  at  $i$

```
Clear["Global`*"]
```

$$f[z] = \frac{z^3}{(z + i)^3}$$
$$\frac{z^3}{(i + z)^3}$$

```
der = Simplify[D[f[z], z]]
```

$$\frac{3 i z^2}{(i + z)^4}$$

```
der1 = der /. z -> i
```

$$-\frac{3 i}{16}$$