

Comment: *Mathematica*'s **Convolve** function has an odd syntax. Note that in the orange cells below, the asterisk represents the convolve function.

### 1 - 7 Convolutions by integration

Find:

1.  $1 * 1$

```
ClearAll["Global`*"]
Integrate[1*x1, {y, 0, t}]
```

$t$

Above: The answer matches the text. However, no domain interval was specified. The limited one used is okay, but not the whole real line, or even half of it.

3.  $e^t * e^{-t}$

```
ClearAll["Global`*"]
Integrate[e^y e^{-(t-y)}, {y, 0, t}]
Sinh[t]
```

Below: Alternate method, this one using **Convolve**. But the syntax is strange.

```
Convolve[e^y UnitStep[y], e^{-y} UnitStep[y], y, t, Assumptions \rightarrow t > 0]
Sinh[t]
```

Above: The answer matches the text. However, no domain interval was specified. The limited one used is okay, but not the whole real line, or even half of it.

5.  $(\sin[\omega t]) * (\cos[\omega t])$

```
ClearAll["Global`*"]
e1 = Integrate[Sin[\omega y] Cos[\omega (t - y)], {y, 0, t}]
 $\frac{1}{2} t \sin[\omega t] \cos[\omega t]$ 
```

With the alternate method,

```
Convolve[ $\sin[\omega y]$  UnitStep[y],  

 $\cos[\omega y]$  UnitStep[y], y, t, Assumptions  $\rightarrow$  t > 0]
```

$$\frac{1}{2} t \sin[t \omega]$$

Above: The answer matches the text. However, no domain interval was specified. The limited one used is okay, but not the whole real line, or even half of it.

7.  $t * e^t$

```
ClearAll["Global`*"]
```

```
e1 = Integrate[y  $e^{t-y}$ , {y, 0, t}]  
- 1 +  $e^t$  - t
```

```
Convolve[y UnitStep[y],  $e^y$  UnitStep[y], y, t, Assumptions  $\rightarrow$  t > 0]
```

$$- 1 +  $e^t$  - t$$

The above answer matches the text. This time only the **Convolve** method was used.

8 - 14 Integral equations

Solve by the Laplace transform, showing the details:

9.  $y[t] - \text{Integrate}[y[\tau], \{\tau, 0, t\}] = 1$

```
ClearAll["Global`*"]
```

```
e1 = LaplaceTransform[Integrate[y[τ], {τ, 0, t}], t, s]  
LaplaceTransform[y[t], t, s]  
s
```

```
e2 = LaplaceTransform[y[t], t, s]  
LaplaceTransform[y[t], t, s]
```

```
e3 = LaplaceTransform[1, t, s]  
1  
s
```

```
e4 = e2 - e1 == e3
```

```
LaplaceTransform[y[t], t, s] -  $\frac{\text{LaplaceTransform}[y[t], t, s]}{s}$  ==  $\frac{1}{s}$ 
```

```
e5 = e4 /. LaplaceTransform[y[t], t, s]  $\rightarrow$  bigY
```

```
bigY -  $\frac{\text{bigY}}{s}$  ==  $\frac{1}{s}$ 
```

```

e6 = Solve[e5, bigY]
{{bigY -> 1/(-1 + s)}}

e7 = e6[[1, 1, 2]]
1
-----
-1 + s

e8 = InverseLaplaceTransform[e7, s, t]
e^t

```

Above: The answer matches the text answer.

$$11. y[t] + \text{Integrate}[(t - \tau) y[\tau], \{\tau, 0, t\}] = 1$$

```

ClearAll["Global`*"]

e1 = LaplaceTransform[Integrate[(t - \tau) y[\tau], {\tau, 0, t}], t, s]
LaplaceTransform[y[t], t, s]
-----
s^2

e2 = LaplaceTransform[y[t], t, s]
LaplaceTransform[y[t], t, s]

e3 = LaplaceTransform[1, t, s]
1
-
s

e4 = e2 + e1 == e3
LaplaceTransform[y[t], t, s] + LaplaceTransform[y[t], t, s] == 1
-----
s^2

e5 = e4 /. LaplaceTransform[y[t], t, s] -> bigY
bigY + bigY/(s^2) == 1/s

e6 = Solve[e5, bigY]
{{bigY -> s/(1 + s^2)}}

e7 = e6[[1, 1, 2]]
s
-----
1 + s^2

```

```
e8 = InverseLaplaceTransform[e7, s, t]
```

```
Cos[t]
```

Above: The answer matches the text answer.

$$13. \quad y[t] + 2 e^t \text{Integrate}[y[\tau] e^{-\tau} = t e^t, \{\tau, 0, t\}]$$

```
ClearAll["Global`*"]
```

```
e1 = LaplaceTransform[2 e^t Integrate[y[\tau] e^{-\tau}, {\tau, 0, t}], t, s]
```

$$\frac{2 \text{LaplaceTransform}[y[t], t, s]}{-1 + s}$$

```
e2 = LaplaceTransform[y[t], t, s]
```

```
LaplaceTransform[y[t], t, s]
```

```
e3 = LaplaceTransform[t e^t, t, s]
```

$$\frac{1}{(-1 + s)^2}$$

```
e4 = e2 + e1 == e3
```

$$\text{LaplaceTransform}[y[t], t, s] + \frac{2 \text{LaplaceTransform}[y[t], t, s]}{-1 + s} == \frac{1}{(-1 + s)^2}$$

```
e5 = e4 /. LaplaceTransform[y[t], t, s] → bigY
```

$$\text{bigY} + \frac{2 \text{bigY}}{-1 + s} == \frac{1}{(-1 + s)^2}$$

```
e6 = Solve[e5, bigY]
```

$$\left\{ \left\{ \text{bigY} \rightarrow \frac{1}{(-1 + s) (1 + s)} \right\} \right\}$$

```
e7 = e6[[1, 1, 2]]
```

$$\frac{1}{(-1 + s) (1 + s)}$$

```
e8 = InverseLaplaceTransform[e7, s, t]
```

$$\frac{1}{2} e^{-t} (-1 + e^{2t})$$

```
e9 = ExpToTrig[e8]
```

$$\frac{1}{2} (\cosh[t] - \sinh[t]) (-1 + \cosh[2t] + \sinh[2t])$$

```
e10 = FullSimplify[e9]
```

```
Sinh[t]
```

Above: This answer matches the text answer.

17 - 26 Inverse transforms by convolution  
Showing details, find  $f[t]$  if  $\mathcal{L}[f]$  equals:

$$17. \frac{5.5}{(s + 1.5)(s - 4)}$$

Note: use of the **Convolve** function did not seem necessary.

```
ClearAll["Global`*"]
```

$$\begin{aligned} e1 &= \text{InverseLaplaceTransform}\left[\frac{5.5}{(s + 1.5)(s - 4)}, s, t\right] \\ &5.5 (-0.181818 e^{-1.5 t} + 0.181818 e^{4 \cdot t}) \end{aligned}$$

```
e2 = ExpandAll[e1]
```

$$-1. e^{-1.5 t} + 1. e^{4 \cdot t}$$

Above: This answer matches the text answer.

$$19. \frac{2 \pi s}{(s^2 + \pi^2)^2}$$

```
ClearAll["Global`*"]
```

$$e1 = \text{InverseLaplaceTransform}\left[\frac{2 \pi s}{(s^2 + \pi^2)^2}, s, t\right]$$

$$t \sin[\pi t]$$

Above: This answer matches the text answer.

$$21. \frac{\omega}{s^2 (s^2 + \omega^2)}$$

```
ClearAll["Global`*"]
```

$$e1 = \text{InverseLaplaceTransform}\left[\frac{\omega}{s^2(s^2 + \omega^2)}, s, t\right]$$

$$\frac{t \omega - \sin[t \omega]}{\omega^2}$$

Above: This answer matches the text answer.

$$23. \frac{40.5}{s(s^2 - 9)}$$

```
ClearAll["Global`*"]

e1 = InverseLaplaceTransform[40.5/(s(s^2 - 9)), s, t]
2.25 e^{-3 t} (-1 + e^{3 t})^2

e2 = ExpToTrig[e1]
2.25 (\cosh[3 t] - \sinh[3 t]) (-1 + \cosh[3 t] + \sinh[3 t])^2

e3 = FullSimplify[e2]
-4.5 + 4.5 \cosh[3 t]
```

Above: This answer matches the text answer.

$$25. \frac{18 s}{(s^2 + 36)^2}$$

```
ClearAll["Global`*"]

e1 = InverseLaplaceTransform[18 s/((s^2 + 36)^2), s, t]
3/2 t \sin[6 t]
```

Above: This answer matches the text answer.